

CONFIDENTIAL

REPORT NO.

--	--

CD NO.

DATE DISTR. 15 September 1959

NO. OF PAGES 2

NO. OF ENCLS.
(LISTED BELOW)

SUPPLEMENT TO
REPORT NO.

25X1X

[illegible]

1. Location: About two miles east of Nogaïsk (46°44'N, 36°22'E)* and west of Ozipenko, 330 feet south of the Melitopol-Nogaïsk-Mariupol road; about 40 miles west of Mariupol. At the point where a road to the plant branches off from the highway, two signs with the inscriptions "To Nogaïsk 2 miles" (to the west) and "To Mariupol 40 miles" (to the east) were seen.
2. Plant installations: See Annex 1 and legend.
3. History: The plant was formerly a shipyard where fishing smacks and other small craft had been built up to 1942. The shipyard was destroyed during the war and had been rebuilt by P's as a catapult equipment plant since 1945.
4. Management and work force: It was known only that a Soviet engineer was the plant manager. Sixty P's and 400 Soviets worked in each of the two shifts.
5. Production: Catapulting apparatus (for details, see Annexes 2 and '3). The catapults were assembled in the assembly hall shown as item C on Annex 1. The catapults consisted of various profiles and had a weight of 350 kg. There was a test and control station, where the compressed air cylinders were mounted and put under pressure, in the northern section of the assembly hall. A cylinder gauge indicated 120 atmospheres. The finished cylinder carriages and catapults were taken to the shipping point. Two or three trucks arrived every week to pick up the finished catapults.
6. Power supply: From a power house outside the plant; the boiler generators of the house were utilized only in emergency cases.

**WARNING NOTICE: THIS DISTRIBUTION LISTING MUST BE
EXCLUDED FROM U.S. OFFICIALS' ONLY**

STATE		NAVY	X	NSRB	DISTRIBUTION	PUBLIC RELEASE OF THIS DOCUMENT	BE
ARMY	#	X	AIR	#	X	FBI	Documents

This document is hereby regraded to
CONFIDENTIAL in accordance with the
letter of 16 October 1978 from the
Director of Central Intelligence
Archivist of the United States.

NO CHANGE in Class.
☒ DECLASSIFIED
 Class. CHANGED TO: TS S
 ODA Marc 4 Apr 77
 57R0032006500075
 Auth: DDA REG 57/1/65
 Date: 18 MAY 1978 By: 012

~~CONFIDENTIAL~~

~~SECRET~~/CONTROL-U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY




-2-


25X1A

7. Security measures: Eight armed guards were on duty in each of two shifts.

25X1A

 Comment: This is the first information on the reconstruction of the former shipyard and the manufacture of catapulting devices for aircraft. From the description of the catapulting devices and the launching site (see Annex 1) it is inferred that apparatus manufactured is for the launching of small aircraft or remote-controlled missiles (perhaps the V-1).

25X1A

 Comment: On some maps the town shown at this location is called Nogisktoch.

Annexes:

1. Catapult Equipment Plant near Nogaisk
2. Catapult Device Manufactured at Nogaisk
3. Compressed Air Cylinder as Used for the Catapult Device Manufactured at Nogaisk

~~CONFIDENTIAL~~


~~CONFIDENTIAL~~ U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

Annex I

CATAPULT EQUIPMENT PLANT NEAR NOGAISK, ZAPOROZHIE OBLAST, UKRAINIAN SSR

25X1A

LEGEND:

- A - Lathe department, about 500 x 100 x 20 ft
- B - Locksmiths shop, about 270 x 65 x 20 ft
- C - Assembly hall, steel skeleton structure, about 1,000 x 65 x 26 ft
- D - Launching site, about 65 x 65 ft
- E - Boilerhouse, about 35 x 35 x 20 ft
- F - Magazine, about 165 x 33 x 13 ft
- G - Administration building, about 165 x 33 x 20 ft
- H - Shipping point, about 165 x 33 x 20 ft
- J - Shed, about 165 x 33 x 20 ft
- K - PW camp (120 PWs)
- L - Slip, not in operation

DETAILS:

- A - Lathe department: Manufacture and machining of wheels and wheel accessories for the catapult devices. Equipment: About 150 lathes, milling machines, turret lathes, slotting and boring machines.
- B - Locksmiths shop: Manufacture of individual profiles and pipes and of individual parts from the compressed air cylinders; steel castings with walls 30mm thick, 400mm in diameter, 2.5m long. The piston rod had a diameter of 100mm and a length of 3 m. Equipment: two lathes; one electrically operated saw; three milling machines; one small boring machine; two large boring machines; three carts with two bottles each for autogenous welding.
- D - Launching site: A concrete apron about 6.6 ft above sea level. It was still in 1949. A pair of rails with gauge of about 1,500mm and 33 ft long was laid on the apron. A center rail served as guide rail for the corresponding rail of the catapult device. At the end of the rails there was a bumping post. Between the two buffers there was a small pit, 13.5 x 3 ft, with two installed

~~CONFIDENTIAL~~
~~SECRET/CONTROL~~ U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

Annex 1 cont'd

25X1A

LEGEND TO ANNEX 1, CONTINUED

- compressed air cylinders and a small compressed air plant (see Annex 3).
- E - Boilerhouse: The generators set up here were put into operation in case of emergency. Also two compressors were available.
- F - Magazine for the storage of parts used for the assembly of the catapulting devices; also a tool room was available.
- H - Shipping point: The finished catapults and compressed air cylinders were stored here prior to shipping.
- L - Slip with eight pairs of rails, not in operation.

CONFIDENTIAL


SECRET/CONTROL-U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

Annex 2

25X1A

CATAPULT DEVICE MANUFACTURED AT NOCAISK, ZAPOROZHE OBLAST, UKRAINIAN SSR




Side view

Plan view

Front view

Legend

- 1 - Main prop
- 2 - Prop
- 3 - Base frame
- 4 - Guide rail



CONFIDENTIAL

SECRET/CONTROL-U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

Annex 3

COMPRESSED AIR CYLINDER AS USED FOR THE CATAPULT DEVICE MANUFACTURED
AT NOGAISK, ZAPOROZHE OBLAST, UKRAINIAN SSR

